

L Number	Hits	Search Text	DB	Time stamp
7	114	348/254.ccls.	USPAT	2004/08/07 11:41
8	48204	(el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:42
9	1	348/254.ccls. and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:42
10	1167	348/441.ccls. or 348/446.ccls. or 348/470.ccls. or 348/448.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:43
11	14	((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)) and (348/441.ccls. or 348/446.ccls. or 348/470.ccls. or 348/448.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:50
12	1973	348/441-459.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:50
13	1363	348/441-459.ccls. and "18" not ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)) and (348/441.ccls. or 348/446.ccls. or 348/470.ccls. or 348/448.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:51
14	8	348/441-459.ccls. and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)) not (((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)) and (348/441.ccls. or 348/446.ccls. or 348/470.ccls. or 348/448.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 11:59
15	5137	frame NEAR3 (rat\$3 or format) SAME frequenc\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:16
16	153	(frame NEAR3 (rat\$3 or format) SAME frequenc\$5) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:00
18	1	((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)) and (frame NEAR3 (rat\$3 or format or frequenc\$3) WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:19
17	44	frame NEAR3 (rat\$3 or format or frequenc\$3) WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:24
19	271	frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:26

20	8	(frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:25
21	7959	frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 or brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:46
22	135	(frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 or brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:27
23	127	((frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 or brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) not ((frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) not (frame NEAR3 (rat\$3 or format or frequenc\$3) WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:27
24	123870	frame WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 or brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:41
25	972	(frame WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 or brightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:41

26	888	((frame WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 orbrightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) not ((frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 orbrightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) not (((frame NEAR3 (rat\$3 or format or frequenc\$3) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 orbrightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) not (frame NEAR3 (rat\$3 or format or frequenc\$3) WITH (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3) WITH (brightness or luminan\$3 or degrad\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:43
27	2665	frame NEAR3 (conver\$5) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 orbrightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 12:47
28	61	(frame NEAR3 (conver\$5) SAME (correct\$3 or compensat\$3 or improv\$3 or enhanc\$3 orbrightness or luminan\$3 or degrad\$3 or gamma or non-linear\$3 or nonlinear\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:15
29	6068	(interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:39
31	37232	pwm or pluse NEAR1 width NEAR1 modulats\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:18
32	2	((interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) and (pwm or pluse NEAR1 width NEAR1 modulats\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:19
30	125	((interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:39
33	100565	(interlace\$3) WITH convert\$3 (non-interlac\$3 or noninterlac\$3 or progressive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:40

34	2048	345/76-83.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:40
35	41	((interlace\$3) WITH convert\$3 (non-interlac\$3 or noninterlac\$3 or progressive)) and 345/76-83.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:40
36	30	((interlace\$3) WITH convert\$3 (non-interlac\$3 or noninterlac\$3 or progressive)) and 345/76-83.ccls.) not (((interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:44
37	2	6088012.pn. and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:45
38	2	((interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) and scanning NEAR2 interpolation NEAR3 converting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:55
39	1	JP-05150743-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:49
40	18	((interlace\$3) WITH convert\$3 (non-interlac\$3 or noninterlac\$3 or progressive)) and 345/76-83.ccls.) not (((interlace\$3) WITH (non-interlac\$3 or noninterlac\$3 or progressive)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen)))) and convert\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:56
41	2814	interlac\$3 NEAR3 convert\$3 noninterlac\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:57
42	1178	(interlac\$3 NEAR3 convert\$3 noninterlac\$3) and (345/\$ or 348/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:57
43	52	interlac\$3 NEAR3 convert\$3 NEAR3 noninterlac\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:08
44	9	advantag\$5 WITH noninterlac\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:00
45	12120	convert\$3 WITH (pluse\$2 NEAR2 width NEAR2 modulat\$3 or pwm or duty NEAR2 cycle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:17
46	194	(convert\$3 WITH (pluse\$2 NEAR2 width NEAR2 modulat\$3 or pwm or duty NEAR2 cycle)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:09

47	36027	(frame) NEAR3 (rate\$1 or frequenc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 14:10
48	5	((convert\$3 WITH (pluse\$2 NEAR2 width NEAR2 modulat\$3 or pwm or duty NEAR2 cycle)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))) and ((frame) NEAR3 (rate\$1 or frequenc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 14:10
49	369	(pluse\$2 NEAR2 width NEAR2 modulat\$3 or pwm or duty NEAR2 cycle) SAME frame NEAR3 (rat\$3 or frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 14:19
50	18	((pluse\$2 NEAR2 width NEAR2 modulat\$3 or pwm or duty NEAR2 cycle) SAME frame NEAR3 (rat\$3 or frequenc\$3)) and ((el or electroluminescent or luminescent or OLED OR LED) NEAR3 (display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 14:30
51	2	6008588.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:01
52	0	6008588.pn. and kv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:02
53	8	("4904895" or "5066883" or "5569974" or "5682085").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:02
54	2	((("4904895" or "5066883" or "5569974" or "5682085").pn.) and kv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:04
55	1241	345/76-81.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:05
56	25	345/76-81.ccls. and kv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:34
57	46	advantage NEAR high NEAR2 (voltage or potential) WITH (electrode\$1 or accelerat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/07 15:35